Journal Profile

JTAM (Jurnal Teori dan Aplikasi Matematika)

eISSN : 26141175 | pISSN : 25977512

Universitas Muhammadiyah Mataram

S2
Sinta Score

Indexed by GARUDA

10
H-Index

10
H5-Index

361
Citations

359
5 Year Citations

Penerbit:
Universitas Muhammadiyah Mataram

Website | Editor URL

Address:
Jln. KH. Ahmad Dahlan No. 1, Pagesangan, Kota Mataram, NTB
Mataram

Email:
jtam.ummat@gmail.com

Phone:

Last Updated : 2021-09-07

2017 2018 2019 2020 2021 2022 2023 2024

sinta Accreditations

Search..

1 2 3 4 5

Page 1 of 12 | Total Records : 113

Publications	Citation
Realistic mathematics education in Indonesia and recommendations for future implementation: A meta-analysis study M Tamur, D Juandi, AMG Adem JTAM (Jurnal Teori dan Aplikasi Matematika) 4 (1), 17-27, 2020	25
Analisis Kesulitan Siswa Dalam Menyelesaikan Soal Cerita Matematika Topik Pecahan Ditinjau Dari Gender A Aminah, KRA Kurniawati JTAM (Jurnal Teori dan Aplikasi Matematika) 2 (2), 118-122, 2018	19
Learning Design Based on Local Wisdom Maddawa-dawa, Mammanu-manu and Mappettuada AMIT Asfar, AMIA Asfar JTAM (Jurnal Teori Dan Aplikasi Matematika) 4 (2), 214-223, 2020	15
Perbandingan Metode Moving Average dan Metode Naïve Dalam Peramalan Data Kemiskinan SF Ais Kumila, Baqiyatus Sholihah, Evizia Evizia, Nur Safitri JTAM	Jurnal Teori dan Aplikasi Matematika 3 (1), 65-73, 2019	15
Pengembangan Media Pembelajaran Mengunakan Aplikasi Construct 2 Pada Materi Aljabar Kelas VII NR Titon Agung Saputro, Kriswandani Kriswandani JTAM	Jurnal Teori dan Aplikasi Matematika 2 (1), 1-8, 2018	14
Pengembangan Media Belajar Komik Terhadap Motivasi Belajar Siswa A Fadillah JTAM	Jurnal Teori dan Aplikasi Matematika 2 (1), 36-42, 2018	14
The effect of problem-based learning (PBL) model on mathematical communication skills of junior high school students-A meta-analysis study N Susanti, D Juandi, M Tamur JTAM (Jurnal Teori Dan Aplikasi Matematika) 4 (2), 145-154, 2020	13

Publications	Citation
Pengembangan Game Puzzle Sebagai Edugame Berbasis Android Untuk Meningkatkan Kemampuan Berpikir Matematika Siswa SD SS Baiq Olatul Aini, Khaerunnisa Cantika Ayu JTAM	Jurnal Teori dan Aplikasi Matematika 3 (1), 74–79, 2019	13
Pengembangan Modul Pembelajaran Bangun Ruang Dengan Metode Creative Problem Solving (CPS) Pada Siswa Kelas VIII SMP MM Nutia Rahmatin, Dewi Pramita, Sirajuddin Sirajuddin JTAM	Jurnal Teori dan Aplikasi Matematika 3 (1), 27–33, 2019	10
Analisis Kemampuan Penalaran Deduktif Matematis Siswa A Fadillah JTAM	Jurnal Teori dan Aplikasi Matematika 3 (1), 15–21, 2019	10

Citation Statistics

JTAM (Jurnal Teori dan Aplikasi Matematika)



Journal Title	**JTAM (Jurnal Teori dan Aplikasi Matematika)**
Initials	**JTAM**
Frequency	**2 issues per year (April & October)**
DOI	**prefix 10.31764 by**
Print ISSN	**2597-7512**
Online ISSN	**2614-1175**
OAI Address	**http://journal.ummat.ac.id/index.php/jtam/oai**
Editor-in-Chief	**Syaharuddin**
Status	**Accredited (Sinta 2) | No. 148/M/KPT/2020 (Certificate)** **Valid: Volume 4 Issues 1 2020 - Volume 8 Issues 2 2024**
Contact	**jtam.ummat@gmail.com | +62 878-6400-3847**
Publication	**October 2017**
Publisher	**Universitas Muhammadiyah Mataram**

JTAM (Jurnal Teori dan Aplikasi Matematika) is a peer-refereed open-access journal which has been established for the dissemination of state-of-the-art knowledge in the field of theory and applications of mathematics. All submitted manuscripts will be initially reviewed by editors and are then evaluated by a minimum of **two reviewers** through the **double-blind review** process. This is to ensure the quality of the published manuscripts in the journal.

JTAM (Jurnal Teori dan Aplikasi Matematika) welcomes high-quality manuscripts resulted from a research project in the scope of **mathematics and mathematics education**, which includes, but is not limited to the following topics:

Mathematics Education:

1. Realistic Mathematics Education (RME)
2. Problem Based Learning (PBL)
3. Contextual Teaching Learning (CTL)
4. Design/Development Research in Mathematics and Mathematics Education
5. PISA Task
6. Mathematics Ability
7. ICT in Mathematics Education
8. Mathematics-based Learning Multimedia and Conventional
9. Lesson Study for Learning Community
10. Ethnomathematics

Mathematics:

1. Algebra and Number Theory
2. Analysis
3. Numerical Analysis
4. Geometry and Topology
5. Theoretical Computer Science
6. Control and Optimization
7. Logic
8. Discrete Mathematics and Combinatorics
9. Computational Mathematics
10. Applied Mathematics
11. Statistics, Probability, and Its Applications.

Announcements

INFORMASI PENTING

Yth. Seluruh Penulis JTAM Periode 2022.

Sebelumnya kami mohon maaf atas gangguan teknis yang telah terjadi di OJS kami, khususnya di JTAM, sehingga berdampak pada hilangnya akun dan paper yang pernah disubmit di web JTAM. Oleh sebab itu, kami berharap Bapak/Ibu bisa submit ulang paper tersebut. Setelah submit, harap kontak via WA Chief Editor terkait paper ID lama dan paper ID baru agar segera diproses.

Terima kasih.
Chief Editor JTAM

Posted: 2021-10-04

CALL FOR PAPER 2022

Dear,
Lecturer, Researcher, Teacher, etc

Send messa... ...h the results of research and development of mathematics and mathematics education in **JTAM (Jurnal Teori ...atika)** in the period:

sinta S2 JTAM

QUICK MENU
Journal History
Editorial Team
Reviewer Team
Focus and Scope
Author Guidelines
Publication Ethics
Open Access Policy
Peer Review Process
Screening Plagiarism
Online Submission
Publication Charges
Indexing
Contact Us
Scopus Citation Analysis

USER
Username
Password
Remember me
Login

DOWNLOAD DOCUMENT
JTAM Template
Registration Form

Journal Help

TOOLS
Plagiarism Checker
turnitin
MENDELEY

Vol. 6, No. 1, April 2022 (Open)

Vol. 6, No. 2, October 2022 (Open)

Please send your full paper (. * doc) via the Register/Login form.

ATTENTION:

1. Please submit using a good and correct **JTAM Template.**
2. Reference at least 20, the last 10 years publication
3. Recommended using Mendeley/Zotero/EndNote application in writing reference. **Download Mendeley here.**
4. Plagiarism Check results in a maximum 20%. Then, (1) **File Plagiarism Check (PDF)** and (2) **Registration Form (PDF)** is uploaded in **Step 4** as an attachment file at the time of submission.
5. **Letter of Acceptance (LoA)** is provided after going through the review and revision process.
6. To speed the publication process you can send a screenshot after submit or **paper ID** to the Chief Editor's contact [**+6287864003847**]

The manuscript must be original research, written in **English** (**start Volume 4 Number 1, April 2020**), and not be simultaneously submitted to another journal or conference.

Posted: 2020-06-05

More Announcements...

Vol 5, No 2 (2021): October

JTAM Editorial Team say thank you so much to all authorss from various campuses and countries. Hopefully in the future JTAM will be better.

1. Al-Hikmah University Ilorin, Nigeria
2. Umaru Musa Yar'adua University, Katsina State, Nigeria
3. Lakshmi Narain College of Technology Bhopal, India
4. Kwansei Gakuin University, Japan
5. ISF College of Pharmacy, India
6. Lakshmi Narain College of Pharmacy, India
7. University of Birmingham, United Kingdom
8. Syiah Kuala University, Indonesia
9. Institut Teknologi Sumatera, Indonesia
10. Universitas Islam Negeri Ar-Raniry, Indonesia
11. Sanata Dharma University, Yogyakarta, Indonesia
12. Universitas Sriwijaya, Indonesia
13. Universitas Brawijaya, Indonesia
14. UIN Walisongo Semarang
15. Universitas Muhammadiyah Jember, Indonesia
16. Universitas Muslim Nusantara Al-Washliyah, Indonesia
17. Universitas Negeri Surabaya, Indonesia
18. UIN Sunan Ampel Surabaya, Indonesia
19. IKIP Siliwangi, Indonesia
20. Universitas Pendidikan Indonesia, Indonesia
21. Universitas Potensi Utama, Indonesia
22. Universitas Islam Negeri Sumatera Utara, Indonesia
23. Universitas Muhammadiyah Mataram, Indonesia
24. Universitas Nahdlatul Ulama NTB, Indonesia
25. Universitas Muhammadiyah Sumatra Utara, Indonesia

Table of Contents

Articles

ISSN LIPI

Print Barcode

9 772597 751146

Online Barcode

9 772614 117009

KEYWORDS

Basic Reproduction Number R_0 Blended learning Commensalism Convolutional Neural Network Critical Thinking Expert System Fuzzy Logic Fuzzy logic Limit Cycle Local stabilty analysis. Mathematical problem solving Mathematics Meta-analysis Michaelis-Menten Model SEITR Naïve Bayes Prestasi Belajar Problem Based Learning Problem-Based Learning Sentiment Analysis Worksheet

By Author
By Title
Other Journals

CURRENT ISSUE



JTAM (Jurnal Teori dan Aplikasi Matematika) Editorial Office:

Send messa...

JTAM Jurnal Teori dan Aplikasi Matematika
ISSN 2597-7512 (Print) | ISSN 2614-1175 (Online)
Mathematics Education Department | University of Muhammadiyah Mataram
Jln. KH. Ahmad Dahlan No 1 Pagesangan, Mataram, NTB, 83127, Indonesia
Website: http://journal.ummat.ac.id/index.php/jtam/ | Email: jtam.ummat@gmail.com

Editorial Team

Editor in Chief

Editorial Boards

JTAM already indexing:



QUICK MENU
Journal History
Editorial Team
Reviewer Team
Focus and Scope
Author Guidelines
Publication Ethics
Open Access Policy
Peer Review Process
Screening Plagiarism
Online Submission
Author Fees
Indexing
Contact Us
Scopus Citation Analysis
Scopus Tracking

USER
Username
Password
Remember me
Login

DOWNLOAD DOCUMENT
JTAM Template
Registration Form

Journal Help

TOOLS

JTAM Jurnal Teori dan Aplikasi Matematika
ISSN 2597-7512 (Print) | ISSN 2614-1175 (Online)
Mathematics Education Department | University of Muhammadiyah Mataram
Jln. KH. Ahmad Dahlan No 1 Pagesangan, Mataram, NTB, 83127, Indonesia
Website: http://journal.ummat.ac.id/index.php/jtam/ | Email: jtam.ummat@gmail.com

Editorial Policies

Focus and Scope

JTAM (Jurnal Teori dan Aplikasi Matematika) published by the Mathematics Education Department of Faculty of Teacher Training and Education of Universitas Muhammadiyah Mataram.
JTAM (Jurnal Teori dan Aplikasi Matematika) welcomes high-quality manuscripts resulted from a research project in the scope of **mathematics and mathematics education**, which includes, but is not limited to the following topics:

Mathematics Education:

1. Realistic Mathematics Education (RME);
2. Problem Based Learning (PBL);
3. Contextual Teaching Learning (CTL);
4. Design/Development Research in Mathematics and Mathematics Education;
5. PISA Task;
6. Mathematics Ability;
7. ICT in Mathematics Education;
8. Mathematics-based Learning Multimedia and Conventional;
9. Lesson Study for Learning Community;
10. Ethnomathematics.

Mathematics:

1. Algebra and Number Theory
2. Analysis
3. Numerical Analysis
4. Geometry and Topology
5. Theoretical Computer Science
6. Control and Optimization
7. Logic
8. Discrete Mathematics and Combinatorics
9. Computational Mathematics
10. Applied Mathematics
11. Statistics, Probability, and Its Applications

The manuscript must be original research, written in **English** (**start Volume 4 Number 1, April 2020**), and not be simultaneously submitted to another journal or conference.

Section Policies

Articles

☑ Open Submissions ☑ Indexed ☑ Peer Reviewed

Peer Review Process

» Peer Review Process

Every submitted article is independently reviewed by at least a **double-blind review (two peer-reviewers)**. The decision for publication, amendment, or rejection is based upon their reports/recommendations. After being reviewed, there will be four kinds of editor decision based on the reviewers' recommendation:

1. **Accept Submission**: The submission will be accepted without revisions.
2. **Revisions Required [Minor Revision]**: The submission will be accepted after minor changes have been made.
3. **Resubmit for Review [Mayor Revision]**: The submission needs to be re-worked, but with significant changes, it may be accepted. It will require a second round of review, however.
4. **Decline Submission**: The submission will not be published in the journal.

» Article Revision

Send messa...

o the authors for revision should be returned to the editor without delay. The revised article returned **later than 10 days** will be **bmissions**. The revised article can be sent to the editorial through the Online Submission Interface.

Publication Frequency

JTAM (Jurnal Teori dan Aplikasi Matematika) is published twice a year, **April** and **October**

QUICK MENU
Journal History
Editorial Team
Reviewer Team
Focus and Scope
Author Guidelines
Publication Ethics
Open Access Policy
Peer Review Process
Screening Plagiarism
Online Submission
Publication Charges
Indexing
Contact Us
Scopus Citation Analysis

USER
Username
Password
Remember me
Login

DOWNLOAD DOCUMENT
JTAM Template
Registration Form

Journal Help

TOOLS

JTAM (Jurnal Teori dan Aplikasi Matematika) is published twice a year, **April** and **October**.

Open Access Policy

JTAM (Jurnal Teori dan Aplikasi Matematika) is an open-access journal that provides immediate, worldwide, barrier-free access to the full text of all published articles without charge readers or their institutions for access. Readers have right to read, download, copy, distribute, print, search, or link to the full texts of all articles in **JTAM (Jurnal Teori dan Aplikasi Matematika)**. This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Archiving

JTAM (Jurnal Teori dan Aplikasi Matematika) utilizes the LOCKSS system to create a distributed archiving system among participating libraries and permits those libraries to create permanent archives of the journal for purposes of preservation and restoration. More...

Publication Charges

This journal charges the following author fees.

Article Submission: 0.00 USD
Authors are required to pay an Article Submission Fee as part of the submission process to contribute to review costs.

Article Publication: 80.00 USD
This fee is used for final proofreading, plagiarism checks, DOI, XML galley, and editing process. This fee does not include print costs or send a hardcopy to author agencies. Free if all writers from outside Indonesia. But if the collaboration will be considered to get a discount on publication fees.

Screening for Plagiarism

The author must ensure that they have written the original work, and if the author has used the work and/or words of others, they must quote it correctly in accordance with the applicable rules. An Author may not publish a text that describes the same foundation of research in more than one journal or major publication. Submit the same manuscript to a more complete journal delivered that is unethical and unacceptable. The editor will run a plagiarism check using **Ithenticate** and/or **Turnitin** for the submitted articles before sending it to the reviewers. We do not process any plagiarised contents. If an article has over **20%** for **Ithenticate** or **Turnitin** of plagiarism based on the result of the check, we will send back the article to the author to be revised for the plagiarised contents.

Publication Ethics

Publication Ethics and Publication Malpractice Statement

JTAM (Jurnal Teori dan Aplikasi Matematika) which is reviewed in a peer review and published by the Mathematics Education Department of University of Muhammadiyah Mataram which is published twice a year (April & October). The following are the standards of ethical behavior used in this journal in the publication of articles in line with the publication ethics for **JTAM (Jurnal Teori dan Aplikasi Matematika)** Editors. This publication ethics is expected to be obeyed by all parties involved in the publication, namely writers, journal managers (editors), reviewers, and publishers. This statement is based on **COPE's Best Practice Guidelines for Journal Editors**.

Publication and Authorship

1. All submitted papers are subject to a strict peer-review process by at least two reviewers that are experts in the area of the particular paper.
2. Review processes are double-blind peer review.
3. The factors taken into account in the review are relevance, soundness, significance, originality, readability, and language.
4. The possible decisions include acceptance, acceptance with revisions, or rejection.
5. If authors are encouraged to revise and resubmit a submission, there is no guarantee that the revised submission will be accepted.
6. Rejected articles will not be re-reviewed.
7. The paper acceptance is constrained by such legal requirements as shall then be in force regarding libel, copyright infringement, and plagiarism.

Duties of Authors

1. **Reporting Standards:** Authors should present an accurate account of the original research performed as well as an objective discussion of its significance. Researchers should present their results honestly and without fabrication, falsification or inappropriate data manipulation. A manuscript should contain sufficient detail and references to permit others to replicate the work. Fraudulent or knowingly inaccurate statements constitute unethical behavior and are unacceptable. Manuscripts should follow the submission guidelines of the journal.
2. **Originality and Plagiarism:** Authors must ensure that they have written entirely original work. The manuscript should not be submitted concurrently to more than one publication unless the editors have agreed to co-publication. Relevant previous work and publications, both by other researchers and the authors' own, should be properly acknowledged and referenced. The primary literature should be cited where possible. Original wording taken directly from publications by other researchers should appear in quotation marks with the appropriate citations.
3. **Multiple, Redundant, or Concurrent Publications:** The Author should not in general submit the same manuscript to more than one journal concurrently. It is also expected that the author will not publish redundant manuscripts or manuscripts describing the same research in more than one journal. Submitting the same manuscript to more than one journal concurrently constitutes unethical publishing behavior and is unacceptable. Multiple publications arising from a single research project should be clearly identified as such and the primary publication should be referenced
4. **Acknowledgment of Sources:** Authors should acknowledge all sources of data used in the research and cite publications that have been influential in determining the nature of the reported work. Proper acknowledgment of the work of others must always be given.
5. **Authorship of the Paper:** The authorship of research publications should accurately reflect individuals' contributions to the work and its reporting. Authorship should be limited to those who have made a significant contribution to conception, design, execution or interpretation of the reported study. Others who have made the significant contribution must be listed as co-authors. In cases where major contributors are listed as authors while those who made less substantial, or purely technical, contributions to the research or to the publication are listed in an acknowledgment section. Authors also ensure that all the authors have seen and agreed to the submitted version of the manuscript and their inclusion of names as co-authors.
6. **Disclosure and Conflicts of Interest:** All authors should clearly disclose in their manuscript any financial or other substantive conflicts of interest that might be construed to influence the results or interpretation of their manuscript. All sources of financial support for the project should be disclosed.
7. **Fundamental Errors in Published Works:** If the author discovers a significant error or inaccuracy in the submitted manuscript, then the author should promptly notify the journal editor or publisher and cooperate with the editor to retract or correct the paper.

Duties of Editor

Send messa... **ecisions:** Based on the review report of the editorial board, the editor can accept, reject, or request modifications to the manuscript. f the work in question and its importance to researchers and readers must always drive such decisions. The editors may be guided by e journal's editorial board and constrained by such legal requirements as shall then be in force regarding libel, copyright infringement and plagiarism. The editors may confer with other editors or reviewers in making this decision. Editors have to take responsibility for everything they publish and should have procedures and policies in place to ensure the quality of the material they publish and maintain the integrity of the published record.

2. **Review of Manuscripts:** Editor must ensure that each manuscript is initially evaluated by the editor for originality. The editor should organize and use

2. **Review of Manuscripts:** Editor must ensure that each manuscript is initially evaluated by the editor for originality. The editor should organize and use peer review fairly and wisely. Editors should explain their peer review processes in the information for authors and also indicate which parts of the journal are peer-reviewed. The Editor should use appropriate peer reviewers for papers that are considered for publication by selecting people with sufficient expertise and avoiding those with conflicts of interest.
3. **Fair Play:** The editor must ensure that each manuscript received by the journal is reviewed for its intellectual content without regard to sex, gender, race, religion, citizenship, etc. of the authors. An important part of the responsibility to make fair and unbiased decisions is the upholding of the principle of editorial independence and integrity. Editors are in a powerful position by making decisions on publications, which makes it very important that this process is as fair and unbiased as possible.
4. **Confidentiality:** The editor must ensure that information regarding manuscripts submitted by the authors is kept confidential. Editors should critically assess any potential breaches of data protection and patient confidentiality. This includes requiring properly informed consent for the actual research presented, consent for publication where applicable.
5. **Disclosure and Conflicts of Interest:** The editor of the Journal will not use unpublished materials disclosed in a submitted manuscript for his own research without written consent of the author. Editors should not be involved in decisions about papers in which they have a conflict of interest

Duties of Reviewers

1. **Confidentiality:** Information regarding manuscripts submitted by authors should be kept confidential and be treated as privileged information. They must not be shown to or discussed with others except as authorized by the editor.
2. **Acknowledgment of Sources:** Reviewers must ensure that authors have acknowledged all sources of data used in the research. Reviewers should identify relevant published work that has not been cited by the authors. Any statement that an observation, derivation, or argument had been previously reported should be accompanied by the relevant citation. The reviewers should notify the journal immediately if they come across any irregularities, have concerns about ethical aspects of the work, are aware of substantial similarity between the manuscript and a concurrent submission to another journal or a published article, or suspect that misconduct may have occurred during either the research or the writing and submission of the manuscript; reviewers should, however, keep their concerns confidential and not personally investigate further unless the journal asks for further information or advice.
3. **Standards of Objectivity:** Review of submitted manuscripts must be done objectively and the reviewers should express their views clearly with supporting arguments. The reviewers should follow journals' instructions on the specific feedback that is required of them and unless there are good reasons not to. The reviewers should be constructive in their reviews and provide feedback that will help the authors to improve their manuscript. The reviewer should make clear which suggested additional investigations are essential to support claims made in the manuscript under consideration and which will just strengthen or extend the work
4. **Disclosure and Conflict of Interest:** Privileged information or ideas obtained through peer review must be kept confidential and not used for personal advantage. Reviewers should not consider manuscripts in which they have conflicts of interest resulting from competitive, collaborative, or other relationships or connections with any of the authors, companies, or institutions connected to the papers. In the case of the double-blind review, if they suspect the identity of the author(s) notify the journal if this knowledge raises any potential conflict of interest.
5. **Promptness:** The reviewers should respond in a reasonable time-frame. The reviewers only agree to review a manuscript if they are fairly confident they can return a review within the proposed or mutually agreed time-frame, informing the journal promptly if they require an extension. In the event that a reviewer feels it is not possible for him/her to complete review of the manuscript within stipulated time then this information must be communicated to the editor so that the manuscript could be sent to another reviewer.

Licensing

Indexing

This publication is indexed by:

By Author
By Title
Other Journals

JTAM (Jurnal Teori dan Aplikasi Matematika) Editorial Office:

Send messa...

Vol 5, No 2 (2021)

October

JTAM Editorial Team say thank you so much to all authorss from various campuses and countries. Hopefully in the future JTAM will be better.

1. Al-Hikmah University Ilorin, Nigeria
2. Umaru Musa Yar'adua University, Katsina State, Nigeria
3. Lakshmi Narain College of Technology Bhopal, India
4. Kwansei Gakuin University, Japan
5. ISF College of Pharmacy, India
6. Lakshmi Narain College of Pharmacy, India
7. University of Birmingham, United Kingdom
8. Syiah Kuala University, Indonesia
9. Institut Teknologi Sumatera, Indonesia
10. Universitas Islam Negeri Ar-Raniry, Indonesia
11. Sanata Dharma University, Yogyakarta, Indonesia
12. Universitas Sriwijaya, Indonesia
13. Universitas Brawijaya, Indonesia
14. UIN Walisongo Semarang
15. Universitas Muhammadiyah Jember, Indonesia
16. Universitas Muslim Nusantara Al-Washliyah, Indonesia
17. Universitas Negeri Surabaya, Indonesia
18. UIN Sunan Ampel Surabaya, Indonesia
19. IKIP Siliwangi, Indonesia
20. Universitas Pendidikan Indonesia, Indonesia
21. Universitas Potensi Utama, Indonesia
22. Universitas Islam Negeri Sumatera Utara, Indonesia
23. Universitas Muhammadiyah Mataram, Indonesia
24. Universitas Nahdlatul Ulama NTB, Indonesia
25. Universitas Muhammadiyah Sumatra Utara, Indonesia

Table of Contents

Articles

Views of Abstract: 56 | DOWNLOAD [PDF]: 5



JTAM (Jurnal Teori dan Aplikasi Matematika) Editorial Office:

- By Author
- By Title
- Other Journals

CURRENT ISSUE

ATOM 1.0
RSS 2.0
RSS 1.0

JTAM (Jurnal Teori dan Aplikasi Matematika)
http://journal.ummat.ac.id/index.php/jtam
p-ISSN 2597-7512 | e-ISSN 2614-1175
Vol. 5, No. 2, October 2021, pp. 262-275

An Accurate Analytical-Numerical Iterative Method for the Susceptible-Infected-Recovered Epidemic Models

Sudi Mungkasi
Department of Mathematics, Sanata Dharma University, Yogyakarta, Indonesia
sudi@usd.ac.id

Article History:

Received : 13-01-2021
Revised : 28-04-2021
Accepted : 01-05-2021
Online : 26-10-2021

Keyword:

Epidemic Problem;
Infectious Disease;
Numerical Solution;
SIR Model;
Vital Dynamics.

ABSTRACT

We consider Susceptible-Infected-Recovered (SIR) models of infectious disease spread without and with vital dynamics. We recall some existing analytical approximate iterative methods for solving these models. We observe that all these methods solve the models accurately only for points close to the initialisation. These methods produce inaccurate, and even, unrealistic solutions to the SIR models if the time domain is sufficiently large. In this paper, our research objective is to propose an analytical-numerical iterative method, which is able to solve the SIR models accurately on the whole domain. The research method used is quantitative mathematical modelling with simulation. By implementing this analytical-numerical iterative method into a finite number of small consecutive subintervals of the domain, our research results show that the proposed method produces accurate solutions to the SIR models on the whole domain.

https://doi.org/10.31764/jtam.v5i2.3876

A. INTRODUCTION

Susceptible-Infected-Recovered (SIR) models have been trusted for simulation of the spread of various infectious diseases (Harko et al., 2014). SIR models are very important in the prediction of the spread of various infectious diseases. Therefore, a simple but accurate method for solving these models is always desired.

A number of articles have reported some properties, applications, and extensions of SIR models. Properties of SIR models have been reported by Gatto & Schellhorn (2021), Turkyilmazoglu (2021), Wu et al. (2021), as well as Kröger & Schlickeiser (2020). Interestingly, SIR models have been used to simulate the transmission of the new Coronavirus SARS-COV-2, which we know that this virus results in the global pandemic COVID-19 (Alenezi et al., 2021; Alqahtani, 2021; Din & Algehyne, 2021; Telles et al., 2021; Cadoni & Gaeta, 2020; Ifguis et al., 2020). Due to their simplicity and flexibility, SIR models have been extended to more complex models, such as, SEIR, BSEIR, SEIAR, and SEIQR models (Rahimi et al., 2021; Ucakan et al., 2021; De la Sen et al., 2020; Heng & Althaus 2020).

Some analytical approximate methods have been available in the literature for solving SIR models. These methods are of the type of iterative and non-iterative. Non-iterative methods that provide analytical approximate solutions are, for example, that proposed by Barlow & Weinstein, 2020. Iterative methods are also available, such as variational iteration methods.

Rafei et al., (2007) proposed a variational iteration method in order to solve the classical SIR model. The analytical approximate iterative method is simple to implement and accurate for points close to the initialisation, but inaccurate for points far from the initialisation (Mungkasi, 2021, 2020a, 2020b). In this paper, we limit our work to iterative methods. We aim to propose a new iterative method that is accurate on the whole domain.

Several modifications of the variational iteration method have been proposed. One of the modifications is by optimising the Lagrange multipliers involved in the iterative formulas (He, 2000; Biazar & Ghazvini, 2007; Darvishi et al., 2007). Another modification is by implementing the Gauss-Seidel technique in the variational iteration scheme (Alderremy et al., 2020; Rangkuti et al., 2016; Tatari & Dehghan, 2009; Salkuyeh, 2008; Youssef & El-Arabawy, 2007). Unfortunately, we show by computational experiments in this paper that these variational iteration modifications do not improve much the accuracy of the method in solving the SIR models, which are nonlinear.

Our main contribution in this paper is to propose a combination of analytical and numerical techniques in solving the SIR models both without and with vital dynamics. That is, we propose a piecewise variational iteration method into a finite number of subintervals of the domain. We use the variational iteration method as our basis in our proposed method. We obtain that implementation of the variational iteration method piecewisely on the given domain leads to accurate solutions to the SIR models on that whole given domain.

We recall the SIR epidemic models both without and with vital dynamics. As the name suggests, the whole population of the system consist of three compartments, namely, susceptible (S), infected (I), and recovered (R) subpopulations. Each of the subpopulations are disjoint. We denote t the time variable, $x(t)$ the susceptible subpopulation, $y(t)$ the infected subpopulation, and $z(t)$ the recovered subpopulation. The vital dynamics include birth and death rates. We assume that, in the system, the total population

$$N = x(t) + y(t) + z(t) \tag{1}$$

is constant.

The SIR model without vital dynamics is (Harko et al., 2014; Jordan & Smith, 2007; Rafei et al., 2007; Biazar, 2006; Kermack & McKendrick, 1927):

$$\frac{dx}{dt} = -\beta x(t)y(t), \tag{2}$$

$$\frac{dy}{dt} = \beta x(t)y(t) - \gamma y(t), \tag{3}$$

$$\frac{dz}{dt} = \gamma y(t). \tag{4}$$

Here β is the infection rate and γ is the recovery rate. Adding equations (2)-(4), we obtain that $dN/dt = 0$, which agrees with our assumption that the total population N is constant.

The SIR model with vital dynamics is (Harko et al., 2014; Brauer & Castillo-Chavez, 2012; Brauer et al., 2008; Murray, 2002; Daley & Gani, 2001):

$$\frac{dx}{dt} = -\beta x(t)y(t) + \mu(N - x(t)), \tag{5}$$

$$\frac{dy}{dt} = \beta x(t)y(t) - (\gamma + \mu)y(t), \tag{6}$$

$$\frac{dz}{dt} = \gamma y(t) - \mu z(t). \tag{7}$$

Here the birth and the death rates are equal and denoted by μ. Addition of equations (5)-(7) confirms our assumption that the total population $N = x(t) + y(t) + z(t)$ is constant.

The initial conditions are the values of $x(t), y(t)$, and $z(t)$ at time $t = 0$, and in general, denoted by

$$x(0) = x_0 \text{ and } y(0) = y_0 \text{ and } z(0) = z_0 \tag{8}$$

where x_0, y_0, and z_0 are known constants. For computational experiments in this paper, we take the following initial conditions (Rafei et al., 2007; Biazar, 2006):

$$x_0 = 20, \quad y_0 = 15, \quad z_0 = 10, \tag{9}$$

for all cases. For the case of the SIR model without vital dynamics, we take the following parameters (Rafei et al., 2007; Biazar, 2006):

$$\beta = 0.01 \quad \text{and} \quad \gamma = 0.02. \tag{10}$$

For the case of the SIR model with vital dynamics, we take the additional parameter

$$\mu = 0.04. \tag{11}$$

All variational iteration solutions are to be compared with reference solutions. The reference solutions are generated using the ode45 code of the MATLAB software with the relative tolerance is 2.22045×10^{-14} and the absolute tolerance is 10^{-15}. Please note that the value of the relative tolerance 2.22045×10^{-14} is the machine epsilon of the MATLAB software up to four significant figures of decimal places, and the value of the absolute tolerance 10^{-15} is below the machine epsilon. Therefore, any evaluation of computational error is maintained to be as accurate as possible.

The rest of this paper is structured as follows. First, existing variational iteration methods and their behaviour for solving the SIR models are presented; then, we propose a new piecewise variational iteration method for solving the SIR models accurately. Afterwards, computational results are presented and discussed. Finally, the paper is concluded with some remarks that our research objective has been achieved. Please note that the research objective of this paper is to propose a new analytical-numerical iterative method, which is able to solve the SIR models accurately on a large domain.

B. METHODS

The type of research of this paper is modelling with simulation. To achieve our research objective, the present section consists of six subsections. We recall four variational iteration methods existing in the literature and provide the proposed method for solving the SIR epidemic models. The first is the scheme according to Rafei et al., (2007). The second is the Gauss-Seidel implementation to the first scheme. The third is a modified variational iteration method according to Biazar & Ghazvini (2007), Darvishi et al. (2007), as well as He (2000). The fourth is the Gauss-Seidel implementation to the third scheme. We also investigate the behaviour of the solutions produced using these four variational iteration methods existing in the literature, and obtain that the produced solutions are not accurate, and even not realistic, for large time values. After that, we present our proposed method in order to solve the SIR epidemic models accurately.

1. Rafei-Daniali-Ganji (RDG) scheme

We note that the SIR model (2)-(4) is a special case of the SIR model (5)-(7) by setting $\mu = 0$. Rafei et al. (2007) proposed a variational iteration scheme for solving the SIR model (2)-(4) without vital dynamics. In this subsection, we extend the derivation of Rafei et al. (2007) in order to solve the more general SIR model (5)-(7) involving vital dynamics. We shall call the resulting scheme as the RDG scheme due to Rafei et al. (2007), that is, Rafei-Daniali-Ganji (RDG).

The correction functionals for equations (5)-(7) due to Rafei et al. (2007) are taken as

$$x_{i+1}(t) = x_i(t) + \int_0^t \lambda_1(\tau)\left[\frac{dx_i(\tau)}{d\tau} + \beta\bar{x}_i(\tau)\bar{y}_i(\tau) - \mu\big(N - \bar{x}(\tau)\big)\right]d\tau, \tag{12}$$

$$y_{i+1}(t) = y_i(t) + \int_0^t \lambda_2(\tau)\left[\frac{dy_i(\tau)}{d\tau} - \beta\bar{x}_i(\tau)\bar{y}_i(\tau) + (\gamma+\mu)\bar{y}_i(\tau)\right]d\tau, \tag{13}$$

$$z_{i+1}(t) = z_i(t) + \int_0^t \lambda_3(\tau)\left[\frac{dz_i(\tau)}{d\tau} - \gamma\bar{y}_i(\tau) + \mu\bar{z}_i(\tau)\right]d\tau, \tag{14}$$

where $\lambda_1(\tau)$, $\lambda_2(\tau)$, and $\lambda_3(\tau)$ are Lagrange multipliers; the restricted variations $\bar{x}_i(\tau)$, $\bar{y}_i(\tau)$, and $\bar{z}_i(\tau)$ mean $\delta\bar{x}_i(\tau) = 0$, $\delta\bar{y}_i(\tau) = 0$, and $\delta\bar{z}_i(\tau) = 0$, respectively.

We operate variations in equations (12)-(14), and we have

$$\delta x_{i+1}(t) = \delta x_i(t) + \delta\int_0^t \lambda_1(\tau)\,dx_i(\tau), \tag{15}$$

$$\delta y_{i+1}(t) = \delta y_i(t) + \delta\int_0^t \lambda_2(\tau)\,dy_i(\tau), \tag{16}$$

$$\delta z_{i+1}(t) = \delta z_i(t) + \delta\int_0^t \lambda_3(\tau)\,dz_i(\tau). \tag{17}$$

Then, we implement integration in equations (15)-(17) by parts, and we have

$$\delta x_{i+1}(t) = \delta[x_i(t)(1+\lambda_1(t))] - \delta\int_0^t \frac{d\lambda_1(\tau)}{d\tau}x_i(\tau)d\tau, \tag{18}$$

$$\delta y_{i+1}(t) = \delta[y_i(t)(1+\lambda_2(t))] - \delta\int_0^t \frac{d\lambda_2(\tau)}{d\tau}y_i(\tau)d\tau, \tag{19}$$

$$\delta z_{i+1}(t) = \delta[z_i(t)(1+\lambda_3(t))] - \delta\int_0^t \frac{d\lambda_3(\tau)}{d\tau}z_i(\tau)d\tau. \tag{20}$$

Based on equations (18)-(20), we obtain stationary conditions

$$\lambda_1'(\tau) = 0, \qquad 1 + \lambda_1(\tau)|_{\tau=t} = 0, \tag{21}$$

$$\lambda_2'(\tau) = 0, \qquad 1 + \lambda_2(\tau)|_{\tau=t} = 0, \tag{22}$$

$$\lambda_3'(\tau) = 0, \qquad 1 + \lambda_3(\tau)|_{\tau=t} = 0. \tag{23}$$

Therefore, the Lagrange multipliers are

$$\lambda_1(\tau) = \lambda_2(\tau) = \lambda_3(\tau) = -1. \tag{24}$$

The variational iteration method of Rafei et al., (2007) for solving equations (5)-(7) is

$$x_{i+1}(t) = x_i(t) - \int_0^t \left[\frac{dx_i(\tau)}{d\tau} + \beta x_i(\tau) y_i(\tau) - \mu(N - x_i(\tau))\right] d\tau, \tag{25}$$

$$y_{i+1}(t) = y_i(t) - \int_0^t \left[\frac{dy_i(\tau)}{d\tau} - \beta x_i(\tau) y_i(\tau) + (\gamma + \mu) y_i(\tau)\right] d\tau, \tag{26}$$

$$z_{i+1}(t) = z_i(t) - \int_0^t \left[\frac{dz_i(\tau)}{d\tau} - \gamma y_i(\tau) + \mu z_i(\tau)\right] d\tau. \tag{27}$$

In this paper, iterative formulas (25)-(27) are called the RDG scheme due to Rafei et al. (2007), that is, Rafei-Daniali-Ganji (RDG).

2. Gauss-Seidel–Rafei-Daniali-Ganji (GS-RDG) scheme

An idea to improve the convergence speed of the iterations of the RDG scheme to the exact solution is by using the newest values in each of next iterations. This idea follows from the Gauss-Seidel technique for solving systems of linear algebraic equations. It has been implemented by a number of authors, such as Alderremy et al. (2020), Rangkuti et al. (2016), Tatari & Dehghan (2009), Salkuyeh (2008), as well as Youssef & El-Arabawy (2007). In this paper, the resulting scheme of the implementation of the Gauss-Seidel technique to the scheme of Rafei et al., (2007) is called the Gauss-Seidel–Rafei-Daniali-Ganji (GS-RDG) scheme.

Observing the models (2)-(4) and (5)-(7), we identify that the equation for $y(t)$ involves more parameters than those for $x(t)$ and $z(t)$. For this reason, in the GS-RDG scheme we rearrange the order of equations (2)-(4) and that of (5)-(7) to be for $y(t), x(t)$, and $z(t)$, respectively. The GS-RDG scheme is

$$y_{i+1}(t) = y_i(t) - \int_0^t \lambda_1(\tau) \left[\frac{dy_i(\tau)}{d\tau} + \beta x_i(\tau) y_i(\tau) + (\gamma + \mu) y_i(\tau)\right] d\tau, \tag{28}$$

$$x_{i+1}(t) = x_i(t) - \int_0^t \left[\frac{dx_i(\tau)}{d\tau} + \beta x_i(\tau) y_{i+1}(\tau) - \mu(N - x_i(\tau))\right] d\tau, \tag{29}$$

$$z_{i+1}(t) = z_i(t) - \int_0^t \left[\frac{dz_i(\tau)}{d\tau} - \gamma y_{i+1}(\tau) + \mu z_i(\tau)\right] d\tau. \tag{30}$$

3. Modified-Rafei-Daniali-Ganji (MRDG) scheme

The original variational iteration method was proposed by He (1999). For systems of equations Biazar & Ghazvini (2007), Darvishi et al. (2007), as well as He (2000) presented a rather different scheme. In this paper, that different scheme for solving equations (5)-(7) is called the modified-Rafei-Daniali-Ganji (MRDG) scheme.

The correction functionals for equations (5)-(7) due to He (2000) are taken as

$$x_{i+1}(t) = x_i(t) + \int_0^t \left[\frac{dx_i(\tau)}{d\tau} + \beta \bar{x}_i(\tau) \bar{y}_i(\tau) - \mu\big(N - x(\tau)\big)\right] d\tau, \tag{31}$$

$$y_{i+1}(t) = y_i(t) + \int_0^t \lambda_2(\tau)\left[\frac{dy_i(\tau)}{d\tau} - \beta\bar{x}_i(\tau)\bar{y}_i(\tau) + (\gamma+\mu)y(\tau)\right]d\tau, \tag{32}$$

$$z_{i+1}(t) = z_i(t) + \int_0^t \lambda_3(\tau)\left[\frac{dz_i(\tau)}{d\tau} - \gamma\bar{y}_i(\tau) + \mu z(\tau)\right]d\tau, \tag{33}$$

where $\lambda_1(\tau)$, $\lambda_2(\tau)$, and $\lambda_3(\tau)$ are Lagrange multipliers; the restricted variations $\bar{x}_i(\tau)$, $\bar{y}_i(\tau)$, and $\bar{z}_i(\tau)$ mean $\delta\bar{x}_i(\tau) = 0$, $\delta\bar{y}_i(\tau) = 0$, and $\delta\bar{z}_i(\tau) = 0$, respectively.

We operate variations to equations (31)-(33), and we have

$$\delta x_{i+1}(t) = \delta x_i(t) + \delta\int_0^t \lambda_1(\tau)\left[\frac{dx_i(\tau)}{d\tau} + \mu x_i(\tau)\right]d\tau, \tag{34}$$

$$\delta y_{i+1}(t) = \delta y_i(t) + \delta\int_0^t \lambda_2(\tau)\left[\frac{dy_i(\tau)}{d\tau} + (\gamma+\mu)y_i(\tau)\right]d\tau, \tag{35}$$

$$\delta z_{i+1}(t) = \delta z_i(t) + \delta\int_0^t \lambda_3(\tau)\left[\frac{dz_i(\tau)}{d\tau} + \mu z_i(\tau)\right]d\tau. \tag{36}$$

Then, we implement integration in equations (34)-(36) by parts, and we have

$$\delta x_{i+1}(t) = \delta[x_i(t)(1+\lambda_1(t))] - \delta\int_0^t \left(\frac{d\lambda_1(\tau)}{d\tau} - \mu\lambda_1(\tau)\right)x_i(\tau)\,d\tau, \tag{37}$$

$$\delta y_{i+1}(t) = \delta[y_i(t)(1+\lambda_2(t))] - \delta\int_0^t \left(\frac{d\lambda_2(\tau)}{d\tau} - (\gamma+\mu)\lambda_2(\tau)\right)y_i(\tau)\,d\tau, \tag{38}$$

$$\delta z_{i+1}(t) = \delta[z_i(t)(1+\lambda_3(t))] - \delta\int_0^t \left(\frac{d\lambda_3(\tau)}{d\tau} - \mu\lambda_3(\tau)\right)z_i(\tau)\,d\tau. \tag{39}$$

Based on equations (37)-(39), we obtain stationary conditions

$$\lambda_1'(\tau) - \mu\lambda_1(\tau) = 0, \qquad 1 + \lambda_1(\tau)|_{\tau=t} = 0, \tag{40}$$

$$\lambda_2'(\tau) - (\gamma+\mu)\lambda_2(\tau) = 0, \qquad 1 + \lambda_2(\tau)|_{\tau=t} = 0, \tag{41}$$

$$\lambda_3'(\tau) - \mu\lambda_3(\tau) = 0, \qquad 1 + \lambda_3(\tau)|_{\tau=t} = 0. \tag{42}$$

Therefore, the Lagrange multipliers are

$$\lambda_1(\tau) = -e^{\mu(\tau-t)}, \qquad \lambda_2(\tau) = -e^{(\gamma+\mu)(\tau-t)}, \qquad \lambda_3(\tau) = -e^{\mu(\tau-t)}. \tag{43}$$

The MRDG scheme for solving equations (5)-(7) is

$$x_{i+1}(t) = x_i(t) - \int_0^t e^{\mu(\tau-t)} \left[\frac{dx_i(\tau)}{d\tau} + \beta x_i(\tau) y_i(\tau) - \mu(N - x_i(\tau)) \right] d\tau, \tag{44}$$

$$y_{i+1}(t) = y_i(t) - \int_0^t e^{(\gamma+\mu)(\tau-t)} \left[\frac{dy_i(\tau)}{d\tau} - \beta x_i(\tau) y_i(\tau) + (\gamma + \mu) y_i(\tau) \right] d\tau, \tag{45}$$

$$z_{i+1}(t) = z_i(t) - \int_0^t e^{\mu(\tau-t)} \left[\frac{dz_i(\tau)}{d\tau} - \gamma y_i(\tau) + \mu z_i(\tau) \right] d\tau. \tag{46}$$

4. Gauss-Seidel–modified-Rafei-Daniali-Ganji (GS-MRDG) scheme

For the implementation of the Gauss-Seidel technique into the MRDG scheme, once again we implement the idea of Alderremy et al. (2020), Rangkuti et al. (2016), Tatari & Dehghan (2009), Salkuyeh (2008), as well as Youssef & El-Arabawy (2007). Again, we rearrange the order of the equations to be for $y(t)$, $x(t)$, and $z(t)$, respectively. The resulting scheme is called the GS-MRDG scheme.

The GS-MRDG scheme is given by

$$y_{i+1}(t) = y_i(t) - \int_0^t e^{(\gamma+\mu)(\tau-t)} \left[\frac{dy_i(\tau)}{d\tau} - \beta x_i(\tau) y_i(\tau) + (\gamma + \mu) y_i(\tau) \right] d\tau, \tag{47}$$

$$x_{i+1}(t) = x_i(t) - \int_0^t e^{\mu(\tau-t)} \left[\frac{dx_i(\tau)}{d\tau} + \beta x_i(\tau) y_{i+1}(\tau) - \mu\big(N - x_i(\tau)\big) \right] d\tau, \tag{48}$$

$$z_{i+1}(t) = z_i(t) - \int_0^t e^{\mu(\tau-t)} \left[\frac{dz_i(\tau)}{d\tau} - \gamma y_{i+1}(\tau) + \mu z_i(\tau) \right] d\tau. \tag{49}$$

5. Behaviour of the existing variational iteration solutions

In this subsection, we investigate the behaviour of the existing variational iteration solutions to the SIR epidemic models without and with vital dynamics.

The behaviour of the RDG, GS-RDG, MRDG, and GS-MRDG solutions to the SIR model without vital dynamics are as follows. All RDG, GS-RDG, MRDG, and GS-MRDG solutions give accurate approximations to the exact solutions around the initial conditions. However, they are not accurate for the values of t far from the initial points. The RDG, GS-RDG, MRDG, and GS-MRDG solutions at their third iterations together with the reference solutions are shown in Figure 1 for $x(t)$. These solutions are inaccurate and unrealistic for large values of t. In Figure 1, all RDG, GS-RDG, MRDG, and GS-MRDG solutions give negative numbers of population $x(t)$ at $t = 12$.

An attempt to overcome this inaccuracy is by increasing the number of iterations of the variational iteration method. However, the RDG, GS-RDG, MRDG, and GS-MRDG solutions are still inaccurate and unrealistic for sufficiently large values of t. We can also double check these results in Figure 1 of Rafei et al. (2007) confirming that for large values of t, the RDG solutions are inaccurate and unrealistic. They approaches either ∞ or $-\infty$ as t tends to ∞. Note that similar behaviour occurs for the RDG, GS-RDG,MRDG, and GS-MRDG solutions $y(t)$ and $z(t)$, but we do not show the plots in this paper as their behaviour is clearly the same.



Figure 1. Reference solution $x(t)$ together with RDG, GS-RDG, MRDG, and GS-MRDG solutions of the SIR model without vital dynamics for $x_3(t)$ at their third iteration.

Now we report here the behaviour of the RDG, GS-RDG, MRDG, and GS-MRDG solutions to the SIR model with vital dynamics. Similar to the results for the SIR model without vital dynamics, all RDG, GSRDG, MRDG, and GS-MRDG solutions give accurate approximations to the exact solutions around the initial conditions. They are inaccurate for the values of t far from the initial point of time. These solutions are inaccurate for large values of t. We may increase the number of iterations of the variational iteration method in the hope to get more accurate solutions. However, all RDG, GS-RDG, MRDG, and GS-MRDG solutions are still inaccurate and unrealistic for sufficiently large values of t. The larger the value of t leads to the more inaccurate the RDG, GS-RDG, MRDG, and GS-MRDG solutions.

6. Proposed piecewise variational iteration method for SIR epidemic models

In this subsection, we propose an analytical-numerical iterative method, which is a piecewise variational iteration method for solving SIR epidemic models. We observe that the RDG scheme is the simplest existing scheme amongst the available existing scheme presented in the previous subsections, yet it behaves similarly to other existing schemes. That is, it is accurate around the initial conditions and becomes less and less accurate at points far from the initialisations. The piecewise variational iteration method that we propose takes the strength of the RDG scheme and avoid the weakness of this scheme.

The piecewise variational iteration method combines analytical and numerical techniques. The analytical technique is the RDG scheme. The numerical technique is the implementation of the RDG scheme in a finite number of subintervals of the domain. Therefore, we obtain a very accurate method for solving SIR epidemic models. In this paper, we call the piecewise variational iteration method for solving the SIR models (2)-(4) and (5)-(7) the piecewise Rafei-Daniali-Ganji (PW-RDG) scheme, which is the analytical-numerical iterative method that we propose. As equations (2)-(4) are special cases of equations (5)-(7), we shall focus our work in this subsection on equations (5)-(7).

The RDG scheme for solving equations (5)-(7) can be simplified to

$$x_{i+1}(t) = x(0) + \int_0^t \left[-\beta x_i(\tau) y_i(\tau) + \mu\big(N - x_i(\tau)\big)\right] d\tau, \tag{50}$$

$$y_{i+1}(t) = y(0) + \int_0^t \left[\beta x_i(\tau) y_i(\tau) - \big(\gamma + \mu\big) y_i(\tau)\big)\right] d\tau, \tag{51}$$

$$z_{i+1}(t) = z(0) + \int_0^t [\gamma y_i(\tau) - \mu z_i(\tau)]\, d\tau. \tag{52}$$

Suppose that we want to find the solutions to the SIR epidemic models on the time domain $[0, T]$ for a given positive constant T. Suppose also that we want to use K number of iterations of the RDG scheme into our PW-RDG scheme. Here K is a specified positive integer. The PW-RDG scheme works as follows:

- The interval $I = [0, T]$ is discretised into a finite number of discrete time $t_0, t_1, t_2, \dots, t_J$, so we have uniform subintervals I_j, where $j = 1, 2, 3, \dots, J$ for a speficied positive integer J. Here $I_j = [t_{j-1}, t_j]$, where the time step $\Delta t = t_j - t_{j-1}$ is constant, $t_0 = 0$ and $t_J = T$.
- The simplified RDG scheme (50)-(52) is iterated K times in each of subintervals $I_1, I_2, I_3, \dots, I_J$ consecutively. Here $x_{i,j}(t)$ means the PW-RDG solution for $x(t)$ at the ith iteration of the RDG scheme on the jth subinterval.
- The PW-RDG scheme is for $j = 1, 2, \dots, J$ and for $i = 0, 1, 2, \dots, K-1$ given by

$$x_{i+1,j}(t) = x_{K,j-1}(t_{j-1}) + \int_{t_{j-1}}^t \left[-\beta x_{i,j}(\tau) y_{i,j}(\tau) + \mu\left(N - x_{i,j}(\tau)\right)\right] d\tau, \tag{53}$$

$$y_{i+1,j}(t) = y_{K,j-1}(t_{j-1}) + \int_{t_{j-1}}^t \left[\beta x_{i,j}(\tau) y_{i,j}(\tau) - (\gamma + \mu) y_{i,j}(\tau)\right] d\tau, \tag{54}$$

$$z_{i+1,j}(t) = z_{K,j-1}(t_{j-1}) + \int_{t_{j-1}}^t \left[\gamma y_{i,j}(\tau) - \mu z_{i,j}(\tau)\right] d\tau, \tag{55}$$

where we set that

$$x_{i,0}(t_0) = x(0), \quad y_{i,0}(t_0) = y(0), \quad z_{i,0}(t_0) = z(0) \tag{56}$$

for all i. We also set that

$$x_{0,j}(t) = x_{K,j-1}(t_{j-1}), \tag{57}$$

$$y_{0,j}(t) = y_{K,j-1}(t_{j-1}), \tag{58}$$

$$z_{0,j}(t) = z_{K,j-1}(t_{j-1}), \tag{59}$$

for all j.

- As a special case, if we take $K = 1$, then the iteration of the PW-RDG scheme is done once for each subinterval and the resulting scheme is:

$$x_{1,j}(t) = x_{1,j-1}(t_{j-1}) + (t - t_{j-1})\left[-\beta x_{1,j-1}(t_{j-1}) y_{1,j-1}(t_{j-1}) + \mu\left(N - x_{1,j-1}(t_{j-1})\right)\right], \tag{60}$$

$$y_{1,j}(t) = y_{1,j-1}(t_{j-1}) + (t - t_{j-1})\left[\beta x_{1,j-1}(t_{j-1}) y_{1,j-1}(t_{j-1}) - (\gamma + \mu) y_{1,j-1}(t_{j-1})\right], \tag{61}$$

$$z_{1,j}(t) = z_{1,j-1}(t_{j-1}) + (t - t_{j-1})[\gamma y_{1,j-1}(t_{j-1}) - \mu z_{1,j-1}(t_{j-1})]. \quad (62)$$

C. RESULTS AND DISCUSSION

We recall that the type of research of this paper is modelling with simulation. The mathematical models, equations (2)-(4) and (5)-(7), have been presented in the Introduction section. The solving methods (including the one that we propose) have been given in the Methods section. In line with our research objective and the solving methods, now, in this section we shall present the results of our computational experiments on our proposed PW-RDG method and give discussion about them. We provide the results in a figure representative for the solution curves and in tables for the convergence rates of the PW-RDG solutions.

1. Results and discussion for the SIR model without vital dynamics

Simulation results of the PW-RDG scheme for the SIR model without vital dynamics are as follows. The PWRDG solutions using two iterations in the RDG scheme (using $K = 2$) together with the Euler and the reference solutions are shown in Figure 2 for $x(t)$. In this figure, we use $t = 1$. We obtain accurate PW-RDG solutions in the whole domain. In addition, Figure 2 show that the RDG solutions (using $K = 2$) are more accurate than the standard Euler solutions. (Note that the same behaviour occurs for solutions $y(t)$ and $z(t)$.)



Figure 2. Reference, Euler, and PW-RDG solutions (PW-RDG using $K = 2$) of the SIR model without vital dynamics for $x(t)$.

To investigate the convergence rates of the PW-RDG solutions, we record the average of the absolute errors in Table 1 when we use $K = 1$, which means that only one RDG iteration is applied in the PW-RDG scheme; in Table 2 when we use $K = 2$, which means that two RDG iterations are evolved in the PW-RDG scheme; and in Table 3 when we use $K = 3$, which means that three RDG iterations are implemented in the PW-RDG scheme. The convergence rate (error order) is computed using the formula

$$\text{Error order} = \frac{\log\left(\frac{E_1}{E_2}\right)}{\log\left(\frac{\Delta t_1}{\Delta t_2}\right)} \quad (63)$$

in which we assume that if we use time step Δt_1, the average of absolute errors is E_1; if we use time step Δt_2, the average of absolute errors is E_2. We infer from Tables 1-3 that as Δt tends to zero, the error orders approach K. This suggests that to obtain a PW-RDG method having Kth order of accuracy, we need to implement K number of RDG iterations in the PW-RDG scheme.

Table 1. Order of accuracy of the PW-RDG method with one iteration ($K = 1$) for the SIR model without vital dynamics. Here E_x, E_y, and E_z are the average of absolute errors for $x(t)$, $y(t)$, and $z(t)$, respectively, computed in the corresponding discrete time. The error order approaches 1.

Δt	E_x	E_x order	E_y	E_y order	E_z	E_z order
2.5	0.5492554	–	0.6310201	–	0.1165101	–
1.0	0.2430276	0.89	0.2654760	0.94	0.0451447	1.03
0.5	0.1250796	0.96	0.1350267	0.98	0.0223067	1.02
0.2	0.0508945	0.98	0.0545387	0.99	0.0088479	1.01
0.1	0.0255915	0.99	0.0273573	1.00	0.0044115	1.00

Table 2. Order of accuracy of the PW-RDG method with two iterations ($K = 2$) for the SIR model without vital dynamics. Here E_x, E_y, and E_z are the average of absolute errors for $x(t)$, $y(t)$, and $z(t)$, respectively, computed in the corresponding discrete time. The error order approaches 2.

Δt	E_x	E_x order	E_y	E_y order	E_z	E_z order
2.5	0.1377848	–	0.1556682	–	0.0185411	–
1.0	0.0170910	2.28	0.0200790	2.24	0.0030384	1.97
0.5	0.0039697	2.11	0.0047312	2.09	0.0007768	1.97
0.2	0.0006093	2.05	0.0007326	2.04	0.0001263	1.98
0.1	0.0001503	2.02	0.0001812	2.02	0.0000318	1.99

Table 3. Order of accuracy of the PW-RDG method with three iterations ($K = 3$) for the SIR model without vital dynamics. Here E_x, E_y, and E_z are the average of absolute errors for $x(t)$, $y(t)$, and $z(t)$, respectively, computed in the corresponding discrete time. The error order approaches 3.

Δt	E_x	E_x order	E_y	E_y order	E_z	E_z order
2.5	0.5492554	–	0.0201791	–	0.0020808	–
1.0	0.2430276	3.25	0.0010459	3.23	0.0001249	3.07
0.5	0.1250796	3.12	0.0001214	3.11	0.0000153	3.03
0.2	0.0508945	3.05	0.0000074	3.05	0.0000010	3.01
0.1	0.0255915	3.02	0.0000009	3.02	0.0000001	3.00

2. Results and discussion for the SIR model with vital dynamics

The behaviour of simulation results for the SIR model with vital dynamics is similar to those in the case of the SIR model without vital dynamics. That is, we obtain accurate PW-RDG solutions in the whole domain, even for large values of t.

Results about orders of accuracy of the PW-RDG scheme for solving the SIR model with vital dynamics are recorded in Tables 4-6. Tables 4 contains the errors and the error orders when we use only one RDG iteration in the PW-RDG scheme, and we obtain that the resulting scheme is of the first order of accuracy. That is, as Δt approaches zero, the error order tends to one. Table 5 contains the errors and the error orders when we use two RDG iterations in the PW-RDG scheme, and the resulting scheme is of the second order of accuracy. Furthermore, if we apply three RDG iterations in the PW-RDG scheme, we obtain that the scheme is of third order of accuracy, as indicated in Table 6. To obtain solutions with small errors, we should take small time step Δt. Further, to get higher order accurate PW-RDG method, we need to use more RDG iterations in our proposed PW-RDG scheme.

Table 4. Order of accuracy of the PW-RDG method with one iteration ($K = 1$) for the SIR model with vital dynamics. Here E_x, E_y, and E_z are the average of absolute errors for $x(t)$, $y(t)$, and $z(t)$, respectively, computed in the corresponding discrete time. The error order approaches 1.

Δt	E_x	E_x order	E_y	E_y order	E_z	E_z order
2.5	0.4108263	–	0.4681403	–	0.0869522	–
1.0	0.1771760	0.92	0.1939965	0.96	0.0324878	1.07
0.5	0.0905963	0.97	0.0982654	0.98	0.0157995	1.04
0.2	0.0367262	0.99	0.0396248	0.99	0.0062168	1.02
0.1	0.0184425	0.99	0.0198666	1.00	0.0030909	1.01

Table 5. Order of accuracy of the PW-RDG method with two iterations ($K = 2$) for the SIR model with vital dynamics. Here E_x, E_y, and E_z are the average of absolute errors for $x(t)$, $y(t)$, and $z(t)$, respectively, computed in the corresponding discrete time. The error order approaches 2.

Δt	E_x	E_x order	E_y	E_y order	E_z	E_z order
2.5	0.0875634	–	0.1010713	–	0.0149249	–
1.0	0.0113417	2.23	0.0134358	2.20	0.0022068	2.09
0.5	0.0026780	2.08	0.0031870	2.08	0.0005423	2.02
0.2	0.0004145	2.04	0.0004951	2.03	0.0000860	2.01
0.1	0.0001025	2.02	0.0001226	2.01	0.0000215	2.00

Table 6. Order of accuracy of the PW-RDG method with three iterations ($K = 3$) for the SIR model with vital dynamics. Here E_x , E_y, and E_z are the average of absolute errors for $x(t)$, $y(t)$, and $z(t)$, respectively, computed in the corresponding discrete time. The error order approaches 3.

Δt	E_x	E_x order	E_y	E_y order	E_z	E_z order
2.5	0.0105877	–	0.0122606	–	0.0016811	–
1.0	0.0005556	3.22	0.0006537	3.20	0.0001006	3.07
0.5	0.0000648	3.10	0.0000767	3.09	0.0000123	3.03
0.2	0.0000040	3.05	0.0000047	3.04	0.0000008	3.01
0.1	0.0000005	3.02	0.0000006	3.02	0.0000001	3.01

D. CONCLUSION AND SUGGESTIONS

An analytical-numerical iterative method has been proposed to solve the SIR epidemic models without and with vital dynamics. We obtain that analytical approximate methods cannot provide accurate solutions for large time domains in solving these models. In contrast, our proposed analytical-numerical iterative method solves the models accurately in the whole domain. The order of accuracy of our proposed method can be increased simply by taking more number of iterations of the variational iteration method being implemented piecewisely. In addition, taking smaller size of subintervals in the analytical-numerical iterative method leads to smaller error.

With the promising results in this paper, at least two future research directions are suggested as follows. First, research on extending the method for solving partial differential equations could be conducted. Second, parallel and/or distributed algorithm of the proposed method is also possible to do. Each topic can be carried out independently.

ACKNOWLEDGEMENTS

This work was sponsored by Sanata Dharma University and Ministry of Education, Culture, Research and Technology of the Republic of Indonesia. Sudi Mungkasi thanks the LPPM USD research grant with contract number 035/Penel./LPPM-USD/V/2020 and the DRPM World Class Research grant with announcement number B/112/E3/RA.00/2021.

REFERENCES

Alderremy, A. A., Chamekh, M., & Jeday, F. (2020). Semi-analytical solution for a system of competition with production a toxin in a chemostat. *Journal of Mathematics and Computer Science*, *20*(2), 155–160. http://dx.doi.org/10.22436/jmcs.020.02.07

Alenezi, M. N., Al-Anzi, F. S., & Alabdulrazzaq, H. (2021). Building a sensible SIR estimation model for COVID-19 outspread in Kuwait. *Alexandria Engineering Journal, 60*(3), 3161–3175. https://doi.org/10.1016/j.aej.2021.01.025

Alqahtani, R. T. (2021). Mathematical model of SIR epidemic system (COVID-19) with fractional derivative: stability and numerical analysis. *Advances in Difference Equations, 2021,* 2. https://doi.org/10.1186/s13662-020-03192-w

Barlow, N. S., & Weinstein, S. J. (2020). Accurate closed-form solution of the SIR epidemic model. *Physica D*, *408*, 132540. https://doi.org/10.1016/j.physd.2020.132540

Biazar, J. (2006). Solution of the epidemic model by Adomian decomposition method. *Applied Mathematics and Computation*, *173*(2), 1101–1106. https://doi.org/10.1016/j.amc.2005.04.036

Biazar, J., & Ghazvini, H. (2007). He's variational iteration method for solving linear and non-linear systems of ordinary differential equations. *Applied Mathematics and Computation*, *191*(1), 287–297. https://doi.org/10.1016/j.amc.2007.02.153

Brauer, F., & Castillo-Chavez, C. (2012). *Mathematical Models in Population Biology and Epidemiology* (Second Edi.) Springer. https://doi.org/10.1007/978-1-4614-1686-9

Brauer, F., van den Driessche, P., & Wu, J. (2008). *Mathematical Epidemiology*. Springer. https://doi.org/10.1007/978-3-540-78911-6

Cadoni, M., & Gaeta, G. (2020). Size and timescale of epidemics in the SIR framework. *Physica D*, *411*, 132626. https://doi.org/10.1016/j.physd.2020.132626

Daley, D. J., & Gani, J. (2001). *Epidemic Modelling: An Introduction*. Cambridge University Press. https://www.cambridge.org/id/academic/subjects/statistics-probability/applied-probability-and-stochastic-networks/epidemic-modelling-introduction?format=PB (Accessed on 28 April 2021)

Darvishi, M. T., Khani, F., & Soliman, A. A. (2007). The numerical simulation for stiff systems of ordinary differential equations. *Computers and Mathematics with Applications*, *54*(7–8), 1055–1063. https://doi.org/10.1016/j.camwa.2006.12.072

De la Sen, M., Ibeas, A., & Agarwal, R. P. (2020). On confinement and quarantine concerns on an SEIAR epidemic model with simulated parameterizations for the COVID-19 pandemic. *Symmetry, 12*(10), 1646. https://doi.org/10.3390/sym12101646

Din, R. U., & Algehyne, E. A. (2021). Mathematical analysis of COVID-19 by using SIR model with convex incidence rate. *Results in Physics, 23,* 103970. https://doi.org/10.1016/j.rinp.2021.103970

Gatto, N. M., & Schellhorn, H. (2021). Optimal control of the SIR model in the presence of transmission and treatment uncertainty. *Mathematical Biosciences, 333,* 108539. https://doi.org/10.1016/j.mbs.2021.108539

Harko, T., Lobo, F. S. N., & Mak, M. K. (2014). Exact analytical solutions of the Susceptible-Infected-Recovered (SIR) epidemic model and of the SIR model with equal death and birth rates. *Applied Mathematics and Computation*, *236*, 184–194. https://doi.org/10.1016/j.amc.2014.03.030

He, J. H. (2000). Variational iteration method for autonomous ordinary differential systems. *Applied Mathematics and Computation*, *114*(2–3), 115–123. https://doi.org/10.1016/S0096-3003(99)00104-6

He, J. H. (1999). Variational iteration method – a kind of non-linear analytical technique: some examples. *International Journal of Non-Linear Mechanics*, *34*(4), 699–708. https://doi.org/10.1016/S0020-7462(98)00048-1

Heng, K., & Althaus, C. L. (2020). The approximately universal shapes of epidemic curves in the Susceptible-Exposed-Infectious-Recovered (SEIR) model. *Scientific Reports, 10,* 19365. https://doi.org/10.1038/s41598-020-76563-8

Ifguis, O., El Ghozlani, M., Ammou, F., Moutcine, A., & Abdellah, Z. (2020). Simulation of the final size of the evolution curve of Coronavirus epidemic in Morocco using the SIR model. *Journal of Environmental and Public Health*, *2020*, 9769267. https://doi.org/10.1155/2020/9769267

Jordan, D. W., & Smith, P. (2007). *Nonlinear Ordinary Differential Equations* (Fourth Edi.) Oxford

University Press. https://global.oup.com/academic/product/nonlinear-ordinary-differential-equations-9780199208258?cc=us&lang=en& (Accessed on 28 April 2021)

Kermack, W. O., & McKendrick, A. G. (1927). A contribution to the mathematical theory of epidemics. *Proceedings of the Royal Society A*, *115*(772), 700–721. https://doi.org/10.1098/rspa.1927.0118

Kröger, M., & Schlickeiser, R. (2020). Analytical solution of the SIR-model for the temporal evolution of epidemics. Part A: time-independent reproduction factor. *Journal of Physics A: Mathematical and Theoretical, 53*(50), 505601. https://doi.org/10.1088/1751-8121/abc65d

Mungkasi, S. (2021). Variational Iteration and successive approximation methods for a SIR epidemic model with constant vaccination strategy. *Applied Mathematical Modelling*, *90*, 1–10. https://doi.org/10.1016/j.apm.2020.08.058

Mungkasi, S. (2020a). Improved variational iteration solutions to the SIR model of dengue fever disease for the case of South Sulawesi. *Journal of Mathematical and Fundamental Sciences, 52*(3), 297–311. https://doi.org/10.5614/j.math.fund.sci.2020.52.3.4

Mungkasi, S. (2020b). Successive approximation, variational iteration, and multistage-analytical methods for a SEIR model of infectious disease involving vaccination strategy. *Communication in Biomathematical Sciences*, *3*(2), 114–126. https://doi.org/10.5614/cbms.2020.3.2.3

Murray, J. D. (2002). *Mathematical Biology: I. An Introduction* (Third Edi.) Springer. https://doi.org/10.1007/b98868

Rafei, M., Daniali, H., & Ganji, D. D. (2007). Variational iteration method for solving the epidemic model and the prey and predator problem. *Applied Mathematics and Computation*, *186*(2), 1701–1709. https://doi.org/10.1016/j.amc.2006.08.077

Rahimi, I., Gandomi, A. H., Asteris, P. G., & Chen, F. (2021). Analysis and prediction of COVID-19 using SIR, SEIQR, and machine learning models: Australia, Italy, and UK cases. *Information, 12*(3), 109. https://doi.org/10.3390/info12030109

Rangkuti, Y. M., Novalia, E., Marhaini, S., & Humairah, S. (2016). Variational iteration method with Gauss-Seidel technique for solving avian human influenza epidemic model. *Bulletin of Mathematics*, *8*(1), 29–41. https://talenta.usu.ac.id/bullmath/article/view/12 (Accessed on 28 April 2021)

Salkuyeh, D. K. (2008). Convergence of the variational iteration method for solving linear systems of ODEs with constant coefficients. *Computers and Mathematics with Applications*, *56*(8), 2027–2033. https://doi.org/10.1016/j.camwa.2008.03.030

Tatari, M., & Dehghan, M. (2009). Improvement of He's variational iteration method for solving systems of differential equations. *Computers and Mathematics with Applications*, *58*(11–12), 2160–2166. https://doi.org/10.1016/j.camwa.2009.03.081

Telles, C. R., Lopes, H., & Franco, D. (2021). SARS-COV-2: SIR model limitations and predictive constraints. *Symmetry, 13*(4), 676. https://doi.org/10.3390/sym13040676

Turkyilmazoglu, M. (2021). Explicit formulae for the peak time of an epidemic from the SIR model. *Physica D: Nonlinear Phenomena, 422,* 132902. https://doi.org/10.1016/j.physd.2021.132902

Ucakan, Y., Gulen, S., & Koklu, K. (2021). Analysing of tuberculosis in Turkey through SIR, SEIR and BSEIR mathematical models. *Mathematical and Computer Modelling of Dynamical Systems, 27*(1), 179–202. https://doi.org/10.1080/13873954.2021.1881560

Wu, S.-L., Chen, L., & Hsu, C.-H. (2021). Traveling wave solutions for a diffusive age-structured SIR epidemic model. *Communications in Nonlinear Science and Numerical Simulation, 98,* 105769. https://doi.org/10.1016/j.cnsns.2021.105769

Youssef, I. K., & El-Arabawy, H. A. (2007). Picard iteration algorithm combined with Gauss-Seidel technique for initial value problems. *Applied Mathematics and Computation*, *190*(1), 345–355. https://doi.org/10.1016/j.amc.2007.01.058